

# Technical data sheet

90° socket, China, combination CN-NEMA-EURO, single

Item number: 6120744



Single 90° socket, China, combination China-10A/NEMA-1/Europlug, with increased touch protection, with screw terminals, 2-pin, 10 A, 250 V~.



PC Polycarbonate

## Master data

Item number	6120744
Type	STD-CN0M RW1.5
Description 1	Socket 0°, single
Description 2	China, double/triple
Manufacturer	OBO
Colour	Pure white; RAL 9010
Material	Polycarbonate
Smallest sales unit	1
Unit of quantity	Piece
Weight	5.8 kg
Weight unit	kg/100 pc.


# Technical data sheet

90° socket, China, combination CN-NEMA-EURO, single

Item number: 6120744



## Dimensions



Width	67.5 mm
Height	45 mm

## Technical data

Cover	Central plate
Closable	no
Connection type	Screw terminal
Number of units	1
Number of switchable sockets	0
Number of poles	2
Printed label/coding	Without printing
Version for	Single 0°
Surface version	Matt
Version for	Miscellaneous
Ejection mechanism	no
Fastening type	Lock
Labelling panel	no
Operating temperature, max.	40 °C
Operating temperature, min.	-5 °C
increased touch protection	yes
Error current protection	no
For more difficult conditions (according to VDE)	no
Halogen-free	yes
Hinged cover	no
Warning light	no
With on/off switch	no
With fine-wire fuse	no
With functional lighting	no
With orientation lighting	no
Mounting type	Device installation duct
Nominal voltage	250 V
Nominal current	10 A
Protection rating	Other
Special power supply	Without special power supply

# Technical data sheet

90° socket, China, combination CN-NEMA-EURO, single

Item number: 6120744



## Technical data

Socket angle	0°
Depth	36.3 mm
Transparent	no
Rotated central insert	no
Surge protection	no