according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: **PYROPLUG® Screed filler**

Version: 1Date of issue/Latest revision:
(Manufacturer) - / 02. 08. 2023Date of issue: 09. 07. 2024
Date of revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier: **PYROPLUG® Screed filler** Article number / Type: 7202322 / FBA-SP
- 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: sealing mass. Use by professional workers. Consumer use. Uses advised against: application other than the above.
- 1.3. Details of the supplier of the safety data sheet:

Distributor Details: OBO Bettermann Produktion Deutschland GmbH & Co. KG Hüingser Ring 52, 58710 Menden (Sauerland), Germany Tel.: +49 2373 890 Fax: +49 2373 89238 E-mail: info@obo.de

Responsible for SDS: OBO Bettermann Produktion Deutschland GmbH & Co. KG Hüingser Ring 52, 58710 Menden (Sauerland), Germany Tel.: +49 2373 890 Fax: +49 2373 89238 E-mail: info@obo.de

1.4. Emergency telephone number National Poisons Information Centre in Ireland: Tel.: 01 809 2166 (between 8am and 10pm for members of the public) Tel: 01 809 2566 (Professionals, 24/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Hazard Class and Category: Hazard statement: Not classified. -



Page: 1/(12)

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: **PYROPLUG® Screed filler**

Version: 1Date of issue/Latest revision:
(Manufacturer) - / 02. 08. 2023Date of issue: 09. 07. 2024Page: 2/(12)Date of revision:

2.2. Label elements

	Product identification:	Trade name:	PYROPLUG [®] Screed filler
	Hazardous components:	-	
	GHS Pictogram: Signal word:	not required not required	
	Hazard statement: not required		
			zol-3(2H)-one. May produce an allergic reaction. le on request.
	Precautionary statements	s – General:	
	Precautionary statements	s – Prevention:	
	Precautionary statements	s – Response:	
	Precautionary statements	s – Storage:	
	Precautionary statements	s – Disposal:	
	Other liabilities for label Tactile Warning of dang Transport classification:	er and child-resis	stant fastening: required for retail distribution.
2.3.	(EC) 1907/2006, at a cor	ncentration of 0.1 ontain any subs	VPvB substance according to annex XIII of regulation % or more. tance with endocrine disrupting properties, at a



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: **PYROPLUG® Screed filler**

Version: 1Date of issue/Latest revision:
(Manufacturer) - / 02. 08. 2023Date of issue: 09. 07. 2024
Date of revision:

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical description: Mixture of acrylate and halogen-free additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Diiron trioxide*	215-168-2	1309-37-1	-	-	<3
REACH Registr. Nr.:					
01-2119457614-35					
Pigment Black 11	215-277-5	1317-61-9	-	-	<3
REACH Registr. Nr.:					
01-2119457646-28					
Melamine**	203-615-4	108-78-1	Carc. 2	H351	<0.3
REACH Registr. Nr.:			Repr. 2	H361f	
no data			STOT RE 2	H373	
1,2-benzizothiazol-3(2H)-	220-120-9	2634-33-5	Acute Tox. 4	H302	< 0.036
one***			Skin Irrit. 2	H315	
REACH Registr. Nr.:			Skin Sens. 1A	H317	
01-2120761540-60			Eye Dam. 1	H318	
			Acute Tox. 2	H330	
			Aquatic Acute 1	H400 (M=1)	
			Aquatic Chronic 1	H410 (M=1)	

*with exposure limit

** SVHC candidate list

***Specific concentration limit: Skin Sens. 1A; H317: C \geq 0.036 % Inhalation (dust/mist): ATE 0,21 mg/l; Oral: ATE = 450 mg/kg

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4: First aid measures

4.1.	Description of	Description of first aid measures	
	General inform	mation: Never give anything by mouth to an unconscious person, or never induce vomiting.	
	Inhalation:	lation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.	
	Skin contact: Wash skin with large amounts of water, use soap. In case of persistent irritation get medical attention.		



Page: 3/(12)

SECTION 4; FIRST ald m

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **PYROPLUG® Screed filler**

Version: 1Date of issue/Latest revision:
(Manufacturer) - / 02. 08. 2023Date of issue: 09. 07. 2024Page: 4/(12)Date of revision:

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.Ingestion: Rinse mouth thoroughly with water. DO NOT induce vomiting. Get prompt medical attention.

Protection of first-aid person: No data.

- 4.2. Most important symptoms and effects, both acute and delayed May produce an allergic reaction.
- 4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Fire-fighting measures

5.1. Extinguishing mediaSuitable extinguishing media: Dry chemical powder, foam, carbon dioxide, water spray.

Unsuitable extinguishing media: According to the burning environment.

5.2. Special hazards arising from the substance or mixture Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, ammonia, phosphorus oxides and other toxic fumes / gases can be formed.

5.3. Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

In case of fire, keep containers cool with water spray.

Collect contaminated firefighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.

Keep persons not involved in rescue at a distance.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

PYROPLUG® Screed filler Trade name:

Version: 1 Date of issue/Latest revision: (Manufacturer) - / 02. 08. 2023 Date of revision:

> Avoid contact with skin, clothing and eyes, inhalation of vapours. Sufficient ventilation should be provided.

6.2. Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

- 6.3. Methods and material for containment and cleaning up Recover free liquid by pumping. Contain the rest or small quantities with non-combustible liquid-absorbent material (sand, non-combustible liquid binder). Place in properly labelled closed container. Dispose of according to local regulations.
- 6.4. Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Keep general measures applied for normal operations with liquid chemicals. Adequate ventilation must be provided. Avoid contact with skin and eyes. Avoid prolonged breathing of vapours. An evewash station should be available at the work site. Wash hands before breaks and at end of work. Take off contaminated clothing and wash it before reuse. When using do not eat, drink or smoke. Avoid splashing the product. Handling temperature: no data.

- 7.2. Conditions for safe storage, including any incompatibilities Storage facilities must comply with regulations for storing of liquid chemicals. Store in dry, cool well-ventilated place in original, closed containers. Keep away from direct sunshine, direct heat or ignition sources. Keep away from food, drink and feed. Storage stability: 12 months (23°C) Storage temperature: $10 - 35^{\circ}C$
- 7.3. Specific end use(s) Sealing mass.



Page: 5/(12)

Date of issue: 09, 07, 2024

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **PYROPLUG®** Screed filler

Version: 1 Date of issue/Latest revision: (Manufacturer) - / 02. 08. 2023

Date of issue: 09. 07. 2024 Date of revision:

Page: 6/(12)

SECTION 8: Exposure controls / personal protection

8.1. Control parameters:

Substance	CAS number	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
		ppm	mg/m ³	ppm	mg/m ³	
Iron oxide, fume (as Fe)	1309-37-1	-	5	-	10	-

8.2. Exposure controls

Engineering control measures:

Adequate ventilation (general or local exhaust).

Personal protection:

- (a) Eye/face protection Tightly fitting safety goggles (EN 166).
- (b) Skin protection

(i)	Hand protection	Protective gloves (EN 374).	
-----	-----------------	-----------------------------	--

Note: Manufacturer's directions for use and the conditions of application should be observed.

- Protective clothing. (ii) Other
- (c) Respiratory Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is protection recommended (filter type A2-P2, EN 14387). No data.
- (d) Thermal hazards

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and chemical properties		
	a)	Physical state:	liquid (paste)
	b)	Colour:	reddish brown
	c)	Odour:	odourless
	d)	Melting point/freezing point (Pour point):	not available
	e)	Boiling point or initial boiling point and boiling range:	not available
	f)	Flammability:	not available
	g)	Lower and upper explosion limit:	not available

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade nam	e: PYROPLUG® Scree	ed filler		
Version: 1	Date of issue/Latest revision (Manufacturer) - / 02. 08. 2		of issue: 09. 07. 2024 of revision:	Page: 7/(12)
h) Fla	ash point:		not available	
	uto-ignition temperature:		not available	
	ecomposition temperature:		not available	
· .	I (solution in 10% water):		not available	
l) Ki	nematic viscosity			
	at 40°C:		not available	
	at 100°C:		not available	
m) So	lubility			
	Solubility in water:		not available	
` D	Solubility in other solvents:	·- 1	not available	
,	rtition coefficient n-octanol/wa	ater (log valu	·	
	apour pressure at 20°C:		not available	-
1 /	ensity and/or relative density at	20°C:	1.30 - 1.45 g/cm	m ³
-	elative vapour density:		not available	
r) Pa	rticle characteristics:		not available	
9.2. Other i	nformation			
	ntormation tavailable			
10	avaliable			
SECTION 1	0: Stability and reactivity			
10.1. React	tix7itx7	Dangerolls	reactivity not known.	
	nical stability	-	osition if stored and handle	d properly
	bility of hazardous reactions	Not known.		u property.
	litions to avoid	Moisture, h		
	npatible materials	Water.	cat.	
	rdous decomposition products		us decomposition products	are formed unde
10.0. 2		-	ditions. Hazardous combust	
SECTION 1	1: Toxicological informati	ion		
11.1. Inform	mation on hazard classes as def	fined in Regu	lation (EC) No 1272/2008	
A anti	· · · · · · · · · · · · · · · · · · ·	(- (le alaca	ification aritaria are not ma	

Acute toxicity: Based on available data, the classification criteria are not met.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: **PYROPLUG® Screed filler**

Version: 1 Date of issue/Latest revision: (Manufacturer) - / 02. 08. 2023

n: Date of issue: 09. 07. 2024 Date of revision: Page: 8/(12)

Skin corrosion/irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

11.2. Information on other hazardsThe product does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SECTION 12: Ecological information

12.1. Toxicity	No data available.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.
12.6. Endocrine disrupting properties	The product does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.
12.7. Other adverse effects Water hazard class (German):	Large spills may be hazardous to the environment. WGK 1 (Classification by AwSV)

SECTION 13: Disposal considerations

13.1. Waste treatment methods Product disposal:
Wastes of the product or used oil should be treated as hazardous waste. Waste Identification Code: 08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: **PYROPLUG® Screed filler**

Version: 1 Date of issue/Latest revision: (Manufacturer) - / 02, 08, 2023

Date of issue: 09. 07. 2024 Date of revision: Page: 9/(12)

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated according to national and local disposal regulations.

Waste Identification Code: 15 01 02

Plastic packaging.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14: Transport information

Land transport: Road/ Railway	ADR/RID:	Not classified.	
14.1. UN number or ID number:14.2. UN proper shipping name:		Not classified. Not classified.	
14.3. Transport hazard class(es):		Not classified.	
14.4. Packing group:14.5. Environmental hazards:		Not classified. Not classified.	
14.6. Special precautions for user:14.7. Maritime transport in bulk according to IMO instruments		Not classified. Not applicable	
Waterways:			
Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.	
Air transport:	ICAO / IATA:	Not apply to the product.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: not classified.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

PYROPLUG® Screed filler Trade name:

Version: 1 Date of issue/Latest revision: (Manufacturer) - / 02. 08. 2023

Date of issue: 09. 07. 2024 Date of revision:

The product contains SVHC substance: Melamine (CAS: 108-78-1)

15.2. Chemical safety assessment. not available

SECTION 16: Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Not classified.

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H302	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure
	through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



Page: 10/(12)

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: **PYROPLUG® Screed filler**

Version: 1Date of issue/Latest revision:
(Manufacturer) - / 02. 08. 2023Date of issue: 09. 07. 2024Page:
Date of revision:

Acute Tox. 4	Acute toxicity Category 4
Acute Tox. 2	Acute toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1A	Respiratory/skin sensitization Category 1A
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Carc. 2	Carcinogenicity Category 2
Repr. 2	Reproductive toxicity Category 2
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1

Legend:

-	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ecx	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods



Page: 11/(12)

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Version: 1	Date of issue/Latest revision:	Date of issue: 09. 07. 2024	Page: 12/(12)
	(Manufacturer) - / 02. 08. 2023	Date of revision:	-

LCx	Lethal Concentration x%				
LDx	Lethal Dose x%				
LOAEC	Lowest Observed Adverse Effect Concentration				
LOAEL	Lowest Observed Adverse Effect Level				
LOEC	Lowest Observed Effect Concentration				
LOEL	Lowest Observed Effect Level				
NOEC	No observed effect concentration				
NOEL	No observed effect level				
NLP	No-Longer Polymer				
NOAEL	No Observed Adverse Effect Level				
OECD	Organisation for Economic Cooperation and Development				
PBT	Persistent Bioaccumulative and Toxic				
PNEC	Predicted No-Effect Concentration				
ppm	parts/million				
REACH	1	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulations concerning the International carriage of Dangerous Goods by Rail			
RID					
SVHC	Substance of Very High Concern				
UVCB	substance of unknown or variable composition, complex reaction products or biological				
	materials	1	0		
VOC	Volatile organic compounds				
vPvB	Very Persistent and very Bio-accumulative				
Revision Indicators:					
Section	Subject of change	Date	Version		

